RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 10 535,442

Source: PCt

Date Processed by STIC: 5-27-05

ENTERED

PCT

RAW SEQUENCE LISTING   DATE: 05/27/2005
PATENT APPLICATION: US/10/535,442   TIME: 10:47:19

Input Set : A:\PTO.DA.txt
Output Set: N:\CRF4\05272005\J535442.raw

```
   3 <110> APPLICANT: Roth, Stina Jalava, Jari Nikkari, Simo
   5 <120> TITLE OF INVENTION: Nucleic acid probes and broad-range primers from regions in
topoisomerase
   6       genes, and methods in which they are used
   8 <130> FILE REFERENCE: 2022264PC/US
C--> 10 <140> CURRENT APPLICATION NUMBER: US/10/535,442
C--> 10 <141> CURRENT FILING DATE: 2005-05-19
  10 <160> NUMBER OF SEQ ID NOS: 77
  12 <170> SOFTWARE: PatentIn version 3.1
  14 <210> SEQ ID NO: 1
  16 <211> LENGTH: 23
  18 <212> TYPE: DNA
  20 <213> ORGANISM: Streptococcus pneumoniae
  22 <400> SEQUENCE: 1
  23 ctcaaaagaa ggtcttcacc atc                                    23
  28 <210> SEQ ID NO: 2
  30 <211> LENGTH: 23
  32 <212> TYPE: DNA
  34 <213> ORGANISM: Streptococcus pneumoniae
  36 <400> SEQUENCE: 2
  37 gccatattca agtttttatt gag                                    23
  42 <210> SEQ ID NO: 3
  44 <211> LENGTH: 23
  46 <212> TYPE: DNA
  48 <213> ORGANISM: Streptococcus pneumoniae
  50 <400> SEQUENCE: 3
  51 agccagatga ttcgattact gtt                                    23
  56 <210> SEQ ID NO: 4
  58 <211> LENGTH: 23
  60 <212> TYPE: DNA
  62 <213> ORGANISM: Streptococcus pneumoniae
  64 <400> SEQUENCE: 4
  65 ttgagaccgt ctttacagtc ctt                                    23
  70 <210> SEQ ID NO: 5
  72 <211> LENGTH: 23
  74 <212> TYPE: DNA
  76 <213> ORGANISM: Streptococcus pyogenes
  78 <400> SEQUENCE: 5
  79 gttttgcctc tcatattaaa gtc                                    23
  84 <210> SEQ ID NO: 6
  86 <211> LENGTH: 23
  88 <212> TYPE: DNA
  90 <213> ORGANISM: Streptococcus pyogenes
  92 <400> SEQUENCE: 6
```

Input Set : **A:\PTO.DA.txt**
Output Set: **N:\CRF4\05272005\J535442.raw**

```
93 tctttattga agcagataat tcc                                     23
98 <210> SEQ ID NO: 7
100 <211> LENGTH: 23
102 <212> TYPE: DNA
104 <213> ORGANISM: Streptococcus pyogenes
106 <400> SEQUENCE: 7
107 cgttgaaaca gtttttacag tct                                    23
112 <210> SEQ ID NO: 8
114 <211> LENGTH: 23
116 <212> TYPE: DNA
118 <213> ORGANISM: Chlamydia pneumoniae
120 <400> SEQUENCE: 8
121 ggtcttcatc atctagtcta tga                                    23
126 <210> SEQ ID NO: 9
128 <211> LENGTH: 23
130 <212> TYPE: DNA
132 <213> ORGANISM: Chlamydia pneumoniae
134 <400> SEQUENCE: 9
135 ggttgtagac wacagcattg acg                                    23
140 <210> SEQ ID NO: 10
142 <211> LENGTH: 23
144 <212> TYPE: DNA
146 <213> ORGANISM: Chlamydia pneumoniae
148 <400> SEQUENCE: 10
149 agccatggca gsttattgct cta                                    23
154 <210> SEQ ID NO: 11
156 <211> LENGTH: 23
158 <212> TYPE: DNA
160 <213> ORGANISM: Chlamydia pneumoniae
162 <400> SEQUENCE: 11
163 ggattgatgt tsgcatttta gag                                    23
168 <210> SEQ ID NO: 12
170 <211> LENGTH: 23
172 <212> TYPE: DNA
174 <213> ORGANISM: Chlamydia pneumoniae
176 <400> SEQUENCE: 12
177 gggtattgtc wtcgtagata atg                                    23
182 <210> SEQ ID NO: 13
184 <211> LENGTH: 22
186 <212> TYPE: DNA
188 <213> ORGANISM: Chlamydia pneumoniae
190 <400> SEQUENCE: 13
191 ttattgctct aggattgatg tt                                     22
196 <210> SEQ ID NO: 14
198 <211> LENGTH: 23
200 <212> TYPE: DNA
202 <213> ORGANISM: Chlamydia pneumoniae
204 <400> SEQUENCE: 14
205 gcattttaga gsacgggggt att                                    23
```

RAW SEQUENCE LISTING   DATE: 05/27/2005
PATENT APPLICATION: US/10/535,442   TIME: 10:47:19

Input Set : A:\PTO.DA.txt
Output Set: N:\CRF4\05272005\J535442.raw

```
210 <210> SEQ ID NO: 15
212 <211> LENGTH: 24
214 <212> TYPE: DNA
216 <213> ORGANISM: Mycoplasma pneumoniae
218 <400> SEQUENCE: 15
219 tcaaactaac ccttaaagac aact                                      24
224 <210> SEQ ID NO: 16
226 <211> LENGTH: 23
228 <212> TYPE: DNA
230 <213> ORGANISM: Mycoplasma pneumoniae
232 <400> SEQUENCE: 16
233 tgaaacagtg tttacggtac tcc                                       23
238 <210> SEQ ID NO: 17
240 <211> LENGTH: 23
242 <212> TYPE: DNA
244 <213> ORGANISM: Haemophilus influenzae
246 <400> SEQUENCE: 17
247 atgataattc tgtatcggtg caa                                       23
252 <210> SEQ ID NO: 18 ·
254 <211> LENGTH: 23
256 <212> TYPE: DNA
258 <213> ORGANISM: Haemophilus influenzae
260 <400> SEQUENCE: 18
261 agcagaagtt attatgactg tgc                                       23
266 <210> SEQ ID NO: 19
268 <211> LENGTH: 23
270 <212> TYPE: DNA
272 <213> ORGANISM: Haemophilus influenzae
274 <400> SEQUENCE: 19
275 gacgataact cttataaagt atc                                       23
280 <210> SEQ ID NO: 20
282 <211> LENGTH: 24
284 <212> TYPE: DNA
286 <213> ORGANISM: Haemophilus influenzae
288 <400> SEQUENCE: 20
289 gataccgatg acggtactgg tttg                                      24
294 <210> SEQ ID NO: 21
296 <211> LENGTH: 23
298 <212> TYPE: DNA
300 <213> ORGANISM: Staphylococcus aureus
302 <400> SEQUENCE: 21
303 agtgtgggaa attgtcgata ata                                       23
308 <210> SEQ ID NO: 22
310 <211> LENGTH: 25
312 <212> TYPE: DNA
314 <213> ORGANISM: Staphylococcus aureus
316 <400> SEQUENCE: 22
317 tgaagttgtt attgaaaaag ataac                                     25
322 <210> SEQ ID NO: 23
```

```
324 <211> LENGTH: 23
326 <212> TYPE: DNA
328 <213> ORGANISM: Staphylococcus aureus
330 <400> SEQUENCE: 23
331 ggattaaagt aacggataac gga                                    23
336 <210> SEQ ID NO: 24
338 <211> LENGTH: 24
340 <212> TYPE: DNA
342 <213> ORGANISM: Staphylococcus aureus
344 <400> SEQUENCE: 24
345 ctgtcgaagt tattttaact gttt                                   24
350 <210> SEQ ID NO: 25
352 <211> LENGTH: 23
354 <212> TYPE: DNA
356 <213> ORGANISM: Staphylococcus aureus
358 <400> SEQUENCE: 25
359 cgacttcaga gagaggtttg cac                                    23
364 <210> SEQ ID NO: 26
366 <211> LENGTH: 23
368 <212> TYPE: DNA
370 <213> ORGANISM: Pseudomonas aeruginosa
372 <400> SEQUENCE: 26
373 gaaatcagca tcaccatcca tac                                    23
378 <210> SEQ ID NO: 27
380 <211> LENGTH: 23
382 <212> TYPE: DNA
384 <213> ORGANISM: Pseudomonas aeruginosa
386 <400> SEQUENCE: 27
387 atacggatga gtcgatcact gtc                                    23
392 <210> SEQ ID NO: 28
394 <211> LENGTH: 23
396 <212> TYPE: DNA
398 <213> ORGANISM: Pseudomonas aeruginosa
400 <400> SEQUENCE: 28
401 gacgacaaca cctacaaggt gtc                                    23
406 <210> SEQ ID NO: 29
408 <211> LENGTH: 24
410 <212> TYPE: DNA
412 <213> ORGANISM: Pseudomonas aeruginosa
414 <400> SEQUENCE: 29
415 gacaccgacg atggcaccgg tctg                                   24
420 <210> SEQ ID NO: 30
422 <211> LENGTH: 23
424 <212> TYPE: DNA
426 <213> ORGANISM: Neisseria gonorrhoeae
428 <400> SEQUENCE: 30
429 ttcgacaaca acagctacaa aat                                    23
434 <210> SEQ ID NO: 31
436 <211> LENGTH: 23
```

```
438 <212> TYPE: DNA
440 <213> ORGANISM: Neisseria gonorrhoeae
442 <400> SEQUENCE: 31
443 atatggtgtt tgaagtattg gac                                    23
448 <210> SEQ ID NO: 32
450 <211> LENGTH: 23
452 <212> TYPE: DNA
454 <213> ORGANISM: Neisseria gonorrhoeae
456 <400> SEQUENCE: 32
457 gacaaaatca cggtaacgat aca                                    23
462 <210> SEQ ID NO: 33
464 <211> LENGTH: 23
466 <212> TYPE: DNA
468 <213> ORGANISM: Neisseria gonorrhoeae
470 <400> SEQUENCE: 33
471 gacaacaaca gctacaaaat ctc                                    23
476 <210> SEQ ID NO: 34
478 <211> LENGTH: 23
480 <212> TYPE: DNA
482 <213> ORGANISM: Escherichia coli
484 <400> SEQUENCE: 34
485 tattcgaggt ggtagataac gct                                    23
490 <210> SEQ ID NO: 35
492 <211> LENGTH: 23
494 <212> TYPE: DNA
496 <213> ORGANISM: Escherichia coli
498 <400> SEQUENCE: 35
499 ttcacgccga taactctgtc tct                                    23
504 <210> SEQ ID NO: 36
506 <211> LENGTH: 23
508 <212> TYPE: DNA
510 <213> ORGANISM: Escherichia coli
512 <400> SEQUENCE: 36
513 cgccgataac tctgtctctg tac                                    23
518 <210> SEQ ID NO: 37
520 <211> LENGTH: 23
522 <212> TYPE: DNA
524 <213> ORGANISM: Escherichia coli
526 <400> SEQUENCE: 37
527 gacgataact cctataaagt gtc                                    23
532 <210> SEQ ID NO: 38
534 <211> LENGTH: 24
536 <212> TYPE: DNA
538 <213> ORGANISM: Escherichia coli
540 <400> SEQUENCE: 38
541 gacacggatg acggcaccgg tctg                                   24
546 <210> SEQ ID NO: 39
548 <211> LENGTH: 23
550 <212> TYPE: DNA
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 05/27/2005
PATENT APPLICATION: US/10/535,442   TIME: 10:47:20

Input Set : **A:\PTO.DA.txt**
Output Set: **N:\CRF4\05272005\J535442.raw**

Please Note:
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220>
to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:73; N Pos. 18,288

Invalid Line Length:
The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:1; Line(s) 5

VERIFICATION SUMMARY   DATE: 05/27/2005
PATENT APPLICATION: **US/10/535,442**   TIME: 10:47:20

Input Set : **A:\PTO.DA.txt**
Output Set: **N:\CRF4\05272005\J535442.raw**

L:10 M:270 C: Current Application Number differs, Replaced Current Application No
L:10 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:1075 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:73 after pos.:0
M:341 Repeated in SeqNo=73